

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 1 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

- 1.1. **Product identifier** : Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against** : Correction fluid
- 1.3. **Details of the supplier of the safety data sheet**
- Name** : SOCIETE BIC
- Address** : 14, Rue Jeanne d'Asnières  
92611 CLICHY Cédex  
FRANCE
- Telephone number** : + 33 01 45 19 52 00
- Telefax number** : +33 01 45 19 52 99
- E-mail** : Bic.Contact@bicworld.com
- 1.4. **Emergency telephone number** : ORFILA (France) : +33 1 45 42 59 59

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### MOST IMPORTANT HAZARDS

- Adverse human health effects** : Vapours may cause drowsiness and dizziness.  
Irritating to skin
- Environmental effects** : Toxic to aquatic organisms  
May cause long-term adverse effects in the aquatic environment.
- Physical and chemical hazards**
- **Fire or explosion** : Highly flammable liquid  
May form flammable/explosive vapour-air mixtures
- Classification of the product** : According to European regulations (67/548/EEC & 1999/45/EC), this product is classified as :  
F; R11  
Xi; R38  
R67  
N; R51/53

### 2.2. Label elements

#### EC LABELLING :

#### - Symbols and indications of danger



- : - HIGHLY FLAMMABLE (F)  
- IRRITANT (Xi)  
- DANGEROUS FOR THE ENVIRONMENT (N)

### SOCIETE BIC

14, Rue Jeanne d'Asnières 92611 CLICHY FRANCE

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 2 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

## 2. HAZARDS IDENTIFICATION (continued)

- R phrases : R11 : Highly flammable.  
R38 : Irritating to skin.  
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R67 : Vapours may cause drowsiness and dizziness.
- S phrases : S2 : Keep out of the reach of children.  
S16 : Keep away from sources of ignition - No smoking.  
S24 : Avoid contact with skin.  
S29 : Do not empty into drains.  
S46 : If swallowed seek medical advice immediately and show this container or label.  
S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.
- Further data : : Reduced labelling allowed for small packaging (< 125 ml)
- 2.3. Other hazards : None, to our knowledge

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### MIXTURE

Chemical nature : Mixture of solvents and titanium dioxide

### Hazardous constituents

Substance name	Contents	CAS No	EC No	Index No	Classification
Titanium dioxide	: < 50 %	13463-67-7	236-675-5	----	-----
Naphtha (petroleum), hydrotreated light	: < 30 %	64742-49-0	265-151-9	649-328-00-1	----- F; R11 Xn; R65 R67 Xi; R38 N; R51-53 ----- Flam. Liq. 2 H225 Asp. Tox 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411
Naphtha (petroleum), light alkylate	: < 30 %	64741-66-8	265-068-8	649-276-00-X	----- F; R11 Xn; R65 R67 Xi; R38 N; R51-53 ----- Flam. Liq. 2 H225 Asp. Tox 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411

Further information : Full text of R and H phrases : see section 16

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

Inhalation : Move the affected person away from the contaminated area and into the fresh air  
If the person feels unwell :  
Call a doctor

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 3 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

<b>4. FIRST AID MEASURES</b>	<b>(continued)</b>
------------------------------	--------------------

- Skin contact** : Wash immediately with plenty of soap and water  
In case of redness or irritation, consult a doctor
- Eye contact** : Immediately rinse with water for a prolonged period while holding the eyes wide open  
If irritation persists, consult an eye specialist
- Ingestion** : Never attempt to induce vomiting  
Consult a doctor
- 4.2. Most important symptoms and effects, both acute and delayed** : In case of contact with skin : Redness, pain.  
On inhalation : Drowsiness , Dizziness
- 4.3. Indication of any immediate medical attention and special treatment needed** : No information available

<b>5. FIRE-FIGHTING MEASURES</b>
----------------------------------

- 5.1. Extinguishing media** : Foam  
Powders  
Carbon dioxide (CO2)
- 5.2. Special hazards arising from the substance or mixture** : The vapours are heavier than air and may travel along the ground. Distance ignition possible.  
On heating or during combustion :  
Toxic vapors may be released
- 5.3. Advice for fire-fighters** : Clear the danger area  
Cool down the containers/equipment exposed to heat with a water spray  
Contain the extinguishing fluids by bunding (the product is hazardous for the environment)  
Do not attempt to fight the fire without suitable protective equipment :  
Standard protection  
Self-contained breathing apparatus

<b>6. ACCIDENTAL RELEASE MEASURES</b>
---------------------------------------

- 6.1. Personal precautions, protective equipment and emergency procedures** : For non-emergency personnel :  
Avoid contact with skin and eyes  
Do not breathe vapours  
No flames, no sparks. Eliminate all sources of ignition.  
Do not smoke  
Mark out the contaminated area with signs and prevent access to unauthorized personnel  
For emergency responders :  
In case of important spillage :  
Do not attempt to fight the fire without suitable protective equipment  
Protective equipment :  
- full protective clothing and equipment  
- respiratory protective device  
Stop the leak as quickly as possible (using non-sparking tools)  
Prevent the product from entering drains (risk of explosion)  
Ventilate spillage area

**SOCIETE BIC**

14, Rue Jeanne d'Asnières 92611 CLICHY FRANCE

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 4 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

<b>6. ACCIDENTAL RELEASE MEASURES</b>	<b>(continued)</b>
---------------------------------------	--------------------

- 6.2 Environmental precautions** : Contain the spilled material by bunding (product is hazardous for the environment)  
Do not discharge into drains and rivers
- Methods for cleaning up :**
- **Recovery** : Recover the product by mechanical means.
  - **Neutralization :** : Absorb non-recoverable liquid with:
    - inert absorbent material
    - earth or sand
  - **Disposal** : Dispose of contaminated materials in accordance with current regulations
- 6.4 Reference to other sections** : For further information see section 13

<b>7. HANDLING AND STORAGE</b>
--------------------------------

**7.1. Precautions for safe handling**

- Technical measures** : Vapour extraction at source  
Use non-sparking tools
- Precautions** : Avoid contact with skin and eyes  
Avoid the build-up of electrostatic charge  
Smoking is forbidden  
Do not overheat the product.
- Hygiene measures** : Do not drink, eat or smoke in the workplace  
Always wash your hands after handling the product

**7.2. Conditions for safe storage, including any incompatibilities**

- Technical measures :** : The floor of the depot must be impermeable, non-combustible and designed to form a basin, in order that stored flammable liquids should not, under any circumstances, be released outside
- Storage conditions**
- **Recommended** : Store :
    - in a cool and dry area
    - in a well-ventilated area
    - the container tightly closed
    - away from any source of ignition
    - away from heat
    - away from any flames
- Incompatible materials** : Strong oxidizing agents  
Oxidizing materials
- Packaging materials**
- **Recommended** : Original packaging
- 7.3. Specific end use(s)** : No information available

<b>8. EXPOSURE CONTROLS / PERSONAL PROTECTION</b>
---

**8.1. Control parameters**

**SOCIETE BIC**

14, Rue Jeanne d'Asnières 92611 CLICHY FRANCE

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 5 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

<b>8. EXPOSURE CONTROLS / PERSONAL PROTECTION</b>	<b>(continued)</b>
---	--------------------

**Occupational exposure limits**

- France : Titanium dioxide :  
VME : 10 mg/m<sup>3</sup> (Ti)  
Hydrocarbons C6 - C12 :  
VME : 1000 mg/m<sup>3</sup>  
VLE : 1500 mg/m<sup>3</sup>

- Germany : : None

**8.2. Exposure controls**

**Engineering measures** : Ensure good ventilation of the work station  
Extraction to remove vapours at their source

**Personal protective equipment**

- **Respiratory protection** : If vapour is released:  
Aerosol filter type A

- **Hand protection** : Impermeable protective gloves  
The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374  
Breakthrough time : refer to the recommendations of the supplier

- **Eye protection** : Safety goggles

<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>
--

**9.1. Information on basic physical and chemical properties**

**Physical state** : Liquid

**Colour** : white

**Odour** : solvent.

**Olfactory limit** : Not determined

**pH** : Not applicable

**Specific temperatures**

- **Boiling** : 95-114 °C (760 mmHg)

- **Melting point** : Not determined

**Decomposition temperature** : Not determined

**Flammability characteristics**

- **Flash point** : -4.5 °C (NF EN ISO 13736)

- **Auto-ignition temperature** : Not determined

**Oxidizing properties** : Non oxidizing material according to EC criteria

**Explosive limits in air :**

- **Lower** : : 1.7 % (volume)

- **Upper** : : 12.3 % (volume)

**Vapour pressure** : 26-49 mmHg (20 °C)

**Vapour density (air = 1)** : Not determined

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 6 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

## 9. PHYSICAL AND CHEMICAL PROPERTIES (continued)

Relative density (water = 1)	: 1.25 (25 °C)
<b>Solubility</b>	
- in water	: Practically insoluble. (0.1 g/l)
Octanol/water partition coefficient	: Not determined
Kinematic viscosity	: > 60 mm <sup>2</sup> /s (40 °C)
Volatile component :	: 0.89 - 1.08 %
Evaporation rate	: Not determined
9.2 Further information	: No information available

## 10. STABILITY AND REACTIVITY

10.1. Reactivity	: To our knowledge, the product does not present any particular risk
10.2. Chemical stability	: Stable at ambient temperature and under normal conditions of use
10.3. Possibility of hazardous reactions	: May form flammable/explosive vapour-air mixtures
10.4. Conditions to avoid	: Heat, sparks, open flames, ignition source
10.5. Incompatible materials	: - strong oxidizing agents - strong reducing agents
10.6. Hazardous decomposition products	: On combustion or on thermal decomposition (pyrolysis) releases : Carbon oxides (CO, CO <sub>2</sub> ) Various hydrocarbon fragments

## 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects	
<b>Acute toxicity</b>	: Vapours may cause drowsiness and dizziness Naphtha (petroleum), light alkylate : LC 50 inhalation / 4h (rat) : > 5.04 ppm LD 50 oral (rat) : > 7000 mg/kg LD 50 skin (Rabbit) : > 2000 mg/kg Naphtha (petroleum), hydrotreated light : LC 50 inhalation / 6h (rat) : > 12 mg/l LD 50 oral (rat) : > 5000 mg/kg LD 50 skin (Rabbit) : 3160 mg/kg Titanium dioxide : LC 50 inhalation / 4h (rat) : > 3.56 mg/l LD 50 oral (Rat) : > 10000 mg/kg LD 50 skin (Rabbit) : > 10000 mg/kg (published data)
<b>Local effects</b>	: Irritating to the skin
<b>Respiratory or skin sensitization</b>	: No sensitizing effect reported
<b>Repeated dose toxicity</b>	: No additional information available

### SOCIETE BIC

14, Rue Jeanne d'Asnières 92611 CLICHY FRANCE

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 7 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

<b>11. TOXICOLOGICAL INFORMATION</b>	<b>(continued)</b>
--------------------------------------	--------------------

**Specific effects**

**Carcinogenicity** : Titanium dioxide (powder) is listed as being potentially carcinogenic (group 2B) by the CIRC, based on studies on animals  
However, studies on human epidemiology do not suggest links between the occupational exposure to titanium dioxide and the risk of cancer

**Mutagenicity** : No additional information available

**Reproductive toxicity** : No additional information available

<b>12. ECOLOGICAL INFORMATION</b>
-----------------------------------

**12.1. Toxicity** : Toxic to aquatic organisms  
May cause long-term adverse effects in the aquatic environment.  
Naphtha (petroleum), light alkylate :  
LC 50 (Fish : Pimephales promelas) / 96 h : 8.3 mg/l  
Naphtha (petroleum), hydrotreated light :  
EC 50 (crustacean) / 96 h : 2.6 mg/l  
(published data)

**12.2. Persistence and degradability** : Mixture based on substances which are not readily biodegradable

**12.3. Bioaccumulative potential** : No information available

**12.4. Mobility in soil** : No information available

**12.5. Results of PBT and vPvB assessment** : No information available

**12.6. Other adverse effects** : No information available

<b>13. DISPOSAL CONSIDERATIONS</b>
------------------------------------

**13.1. Waste treatment methods**

**WASTE FROM PRODUCT**

**Prohibition** : Discharging waste into rivers and drains is prohibited

**Destruction/Disposal** : Dispose of in accordance with relevant local regulations

**CONTAMINATED PACKAGING**

**Destruction/disposal** : Destroy at an authorised site

**NOTE** : The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal

<b>14. TRANSPORT INFORMATION</b>
----------------------------------

**14.1. UN number** : 1139

**14.2. UN proper shipping name** : COATING SOLUTION

**14.3. Transport hazard class(es)** : 3

**14.4. Packing group** : I

**14.5. Environmental hazards** : Additional marking : "Environmentally hazardous substance"

**SOCIETE BIC**

14, Rue Jeanne d'Asnières 92611 CLICHY FRANCE

	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 8 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

<b>14. TRANSPORT INFORMATION</b>	<b>(continued)</b>
----------------------------------	--------------------

- 14.6. Special precautions for user : No information available
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code : No information available
- INTERNATIONAL REGULATIONS :**
- Land transportation :**
- Rail/road (RID/ADR) : : Class : 3  
Classification code : F1  
Packing group : II  
Hazard identification number : 33  
Labelling : 3  
Additional marking : "Environmentally hazardous substance"
- Sea (IMO/IMDG) :** : Class : 3  
Packing group : II  
Emergency schedule (EmS) : F-E, S-E  
Labelling : 3  
Marine pollutant : YES  
Additional marking : "Environmentally hazardous substance"
- Air (ICAO-IATA) :** : Class : 3  
Packing group : II  
Labelling : Flammable liquid  
Additional marking : "Environmentally hazardous substance"
- NOTE** : The above regulatory prescriptions are those valid on the date of publication of this sheet.  
Given the possible evolution of transport regulations for hazardous materials, in case the date of issue is older than 12 months, compared to the current one, it would be advisable to check their validity with your commercial agency  
Packages from older stocks can especially have the UN number 1993 (due to the older classification)

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture : France : Occupational diseases (table(s) n° 84)  
Germany : Water hazard class (WGK) : 2
- 15.2. Chemical Safety Assessment : No information available

<b>16. OTHER INFORMATION</b>
------------------------------

- R phrases text of § 2&3** : R11 : Highly flammable.  
R38 : Irritating to skin.  
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65 : Harmful : may cause lung damage if swallowed.  
R67 : Vapours may cause drowsiness and dizziness.

**SOCIETE BIC**

14, Rue Jeanne d'Asnières 92611 CLICHY FRANCE



	<b>MATERIAL SAFETY DATA SHEET</b>	Page : 9 / 9
		Version : 5
		Date : 11 / 2 / 2011
		Supersedes : 29 / 10 / 2009
<b>Tipp-ex® Shake'n Squeeze and Mini Shake'n Squeeze Correction pen</b>		<b>BIC</b>

<b>16. OTHER INFORMATION</b>	<b>(continued)</b>
------------------------------	--------------------

- |   |  |
|---|--|
| <b>H phrases text of § 2&amp;3</b>      | : H225 : Highly flammable liquid and vapour.<br>H304 : May be fatal if swallowed and enters airways.<br>H315 : Causes skin irritation.<br>H336 : May cause drowsiness or dizziness.<br>H411 : Toxic to aquatic life with long lasting effects. |
| <b>Restrictions on use</b>              | : This product must not be used for other applications that mentioned in §1.   |
| <b>Bibliography references</b>          | : Joint Research Centre (JRC)<br>INRS (Institut National de Recherche et de Sécurité)<br>IUCLID (International Uniform Chemical Information Data Base)<br>RTECS (Registry of Toxic effects of Chemical Substances)<br>MSDS of suppliers        |
| <b>* Update :</b>                       | : This sheet was updated (refer to the date at the top of this page)<br>This sheet has been revised completely (changes were not marked)   |
| <b>Safety data sheet established by</b> | : LISAM SERVICES - TELEGIS<br>6 rue des Boucheries F-60400 NOYON<br>www.reachelp.com<br>Safety Made Easy with www.lisam.com  |

This sheet complements the technical sheets but does not replace them. The information given is based on our knowledge of the product, at the time of publication. It is given in good faith.

Besides, the attention of the user is drawn to the possible risk incurred by using the product for any other use than that for which it was intended.

In no way does this exempt the user from knowing and applying all the regulations controlling his activity. He alone will take on the responsibility for taking the precautions involved by the use of the product.

The aim of all the mandatory regulations mentioned is just to help the user to fulfil his obligations regarding the use of hazardous products.

This information must not be considered exhaustive. It does not exempt the user from ensuring that other obligations than those mentioned could apply, related to the storage and use of the product, this being his sole responsibility.

**End of document**